



# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 01/04/2014 Revision date: 27/06/2025 Supersedes: 01/02/2024 version: 7.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Trade name	: MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck
Product code	: 05000LE
Type of product	: Other engine, gear and lubricating oils.
Product group	: Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Used in closed systems
Use of the substance/mixture	: Automotive care products
Function or use category	: Lubricants and additives

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

MPM International Oil Company BV  
Cyclotronweg 1  
NL 2629 HN Delft, Zuid Holland  
Nederland  
T +31 (0)15 2514030 (08.00 - 17.00 GMT+1)  
[info@mpmoil.com](mailto:info@mpmoil.com), [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP)	: P102 - Keep out of reach of children.
EUH-statements	: EUH208 - Contains: 2,5-Furandione, polymer, Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated, Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2,5-Furandione, polymer (873694-48-5), Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6), Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2,5-Furandione, polymer (873694-48-5), Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6), Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	2,5-Furandione, polymer (873694-48-5), Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5), Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7 REACH-no: 01-0000015551-76	≥ 1 – ≤ 3.49	Aquatic Chronic 4, H413
2,5-Furandione, polymer	CAS-No.: 873694-48-5 EC-No.: 681-947-2	≥ 1 – ≤ 2.49	Skin Sens. 1, H317
Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol	CAS-No.: 1428353-74-5 EC-No.: 806-731-9	≥ 0.1 – ≤ 0.99	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated.	EC-No.: 953-650-0	≥ 0.1 – ≤ 0.249	Skin Sens. 1B, H317 Repr. 2, H361d
Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	≥ 0.1 – ≤ 0.24	Skin Sens. 1B, H317

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
2,5-Furandione, polymer	CAS-No.: 873694-48-5 EC-No.: 681-947-2	(2.51 ≤ C < 100) Skin Sens. 1; H317
Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated.	EC-No.: 953-650-0	(2 ≤ C < 100) Skin Sens. 1B; H317 (17.15 ≤ C < 100) Repr. 2; H361d
Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	(2 ≤ C < 100) Skin Sens. 1B; H317

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash skin with mild soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO2.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : If spilled, may cause the floor to be slippery.

##### For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Do not breathe vapours.

##### For emergency responders

Protective equipment : Wear suitable protective clothing and gloves. Safety glasses.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
- Other information : Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Handling temperature : < 40 °C
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store in a closed container.
- Storage conditions : Keep container closed when not in use.
- Storage temperature : ≤ 40 °C
- Storage area : Store in dry, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL and PNEC

- Additional information : Based on ACGIH TLV, a concentration of 5 mg/m<sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Technical measures:

No additional information available.

#### Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Safety goggles

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

### Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Amber.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 220 °C @ ASTM D92
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 72 mm <sup>2</sup> /s @ 40°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 855 kg/m <sup>3</sup> @ 15°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

### 10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LD50 oral rat	> 2000 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

LD50 oral rat	> 200 mg/kg bodyweight Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

NOAEL (animal/female, F0/P)	1000 mg/kg bodyweight
-----------------------------	-----------------------

STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

NOAEL (oral, rat, 90 days)	5 mg/kg bodyweight OECD 407
----------------------------	-----------------------------

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
-------------------------------------	--

Aspiration hazard : Not classified

### MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

Viscosity, kinematic	72 mm <sup>2</sup> /s @ 40°C
----------------------	------------------------------

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified.

#### reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LC50 fish 1	74 mg/l @96h
LC50 fish 2	100 mg/l @ 14d
EC50 Daphnia 1	4.3 mg/l @ 24 h
EC50 Daphnia 2	100 mg/l @ 48 h
EC50 72h - Algae [1]	3 mg/l
NOEC (chronic)	≤ 0.01 mg/l Daphnia magna @21d
NOEC chronic fish	0.5 mg/l @ 36 d
NOEC chronic algae	3 mg/l @ 72 h

#### Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated.

EC50 other aquatic organisms 1	1.2 mg/l
--------------------------------	----------

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

EC50 72h - Algae [1]	2.2 mg/l
EC50 72h - Algae [2]	7.4 mg/l
LOEC (chronic)	0.24 mg/l Daphnia magna Duration: '21 d'
NOEC (chronic)	0.07 mg/l Daphnia magna Duration: '21 d'
NOEC chronic fish	0.32 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

#### 12.2. Persistence and degradability

##### MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

#### reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % @28 d

#### 2,5-Furandione, polymer (873694-48-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated.

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

#### reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

BCF fish 1	260 mg/kg OECD 305 (Oncorhynchus mykiss, 35d)
Bioconcentration factor (BCF REACH)	258 (OECD 305 method)
Log Pow	9.2
Bioaccumulative potential	Moderately bioaccumulative.

### 12.4. Mobility in soil

#### MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

Soil	Prevent soil and water pollution.
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Log Koc	> 2000

### 12.5. Results of PBT and vPvB assessment

#### MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2,5-Furandione, polymer (873694-48-5), Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6), Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2,5-Furandione, polymer (873694-48-5), Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts (722503-68-6), Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol (1428353-74-5)

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.  
European List of Waste (LoW, EC 2000/532) : 13 02 06\* - synthetic engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number or ID number</b>	
Not regulated for transport	



# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG
<b>14.2. UN proper shipping name</b>	
Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>	
Not regulated	Not regulated
<b>14.4. Packing group</b>	
Not regulated	Not regulated
<b>14.5. Environmental hazards</b>	
Not regulated	Not regulated
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

### SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Supersedes	<b>Modified</b>
	Revision date	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>
4.1	After inhalation	<b>Modified</b>
9	Viscosity, kinematic	<b>Modified</b>
9	Flash point	<b>Modified</b>
9	Density	<b>Modified</b>

### Abbreviations and acronyms:

	ACGIH: American Conference of Governmental Industrial Hygienists. TWA: Time Weighted Average. TLV: Threshold Limit Value. ASTM: American Society for Testing and Materials . ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route . RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail . ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin. IMDG: International Maritime Dangerous Goods. ICAO: International Civil Aviation Organization . IATA: International Air Transport Association. STEL: Short Term Exposure Limit. LD50: median Lethal Dose for 50% of subjects. ATE: acute toxicity estimate. LC50: median Lethal Concentration for 50% of subjects. EC50: concentration producing 50% effect.
--	--

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
EUH208	Contains: 2,5-Furandione, polymer, Alkyl (C18-C28) toluene sulfonic acid, calcium salts, borated, Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

# MPM Motor Oil 5W-30 Premium Synthetic HDD LE Truck

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.